



Figuring Out Opposite Actions

FEAR

Fear FITS THE FACTS of a situation whenever there is a THREAT to:

- A. Your life or that of someone you care about.
- B. Your health or that of someone you care about.
- C. Your well-being or that of someone you care about.
- D. Other example: _____y

Follow these suggestions when your fear is NOT JUSTIFIED by the facts or NOT EFFECTIVE:

OPPOSITE ACTIONS for Fear

Do the OPPOSITE of your fearful action urges. For example:

1. Do what you are afraid of doing . . . OVER AND OVER.
2. APPROACH events, places, tasks, activities, and people you are afraid of.
3. Do things to give yourself a sense of CONTROL and MASTERY over your fears.

ALL-THE-WAY OPPOSITE ACTIONS for Fear

4. Keep your EYES AND EARS OPEN and focused on the feared event.
Look around slowly; explore.
5. Take in the information from the situation (i.e., notice that you are safe).
6. Change POSTURE AND KEEP A CONFIDENT VOICE TONE.
Keep your head and eyes up, and your shoulders back but relaxed.
Adopt an assertive body posture (e.g., knees apart, hands on hips, heels a bit out).
7. Change your BODY CHEMISTRY.
For example, do paced breathing by breathing in deeply and breathing out slowly.

(continued on next page)

From *Dialectical Behavior Therapy Skills Training Manual for Therapists*, Second Edition by Marsha M. Linehan. Copyright 2015 by Marsha M. Linehan. Permission to photocopy this handout is granted to purchasers of this book for personal use only (see copyright page for details).

ANGER

Anger FITS THE FACTS of a situation whenever:

- A.** An important goal is blocked or a desired activity is interrupted or prevented.
- B.** You or someone you care about is attacked or hurt by others.
- C.** You or someone you care about is insulted or threatened by others.
- D.** The integrity or status of your social group is offended or threatened.
- E.** Other example: _____

Follow these suggestions when your anger is NOT JUSTIFIED by the facts or is NOT EFFECTIVE:

OPPOSITE ACTIONS for Anger

Do the OPPOSITE of your angry actions/urges. For example:

- 1. GENTLY AVOID the person you are angry with (rather than attacking).
- 2. TAKE A TIME OUT, and breathe in and out deeply and slowly.
- 3. BE KIND (rather than mean or insulting).

ALL-THE-WAY OPPOSITE ACTIONS for Anger

- 4. IMAGINE UNDERSTANDING and empathy for the other person.
Step into the other person's shoes. Try to see the situation from the other person's point of view.
Imagine really good reasons for what has happened.
- 5. CHANGE YOUR POSTURE.
Relax hands, with palms up and fingers relaxed (WILLING HANDS).
Relax chest and stomach muscles.
Relax teeth.
Relax facial muscles. Half-smile.
- 6. CHANGE YOUR BODY CHEMISTRY.
For example, do paced breathing by breathing in deeply and breathing out slowly. Inhale, exhale. Engage in another physically energetic, or violent activity.

(continued on next page)

DISGUS

Disgust FITS THE FACTS of a situation whenever:

- A. Something you are in contact with could poison or contaminate you.
- B. Somebody whom you deeply dislike is touching you or someone you care about.
- C. You are around a person or group whose behavior or thinking could seriously damage T or harmfully influence you or the group you are part of.
- D. Other example: _____

Follow these suggestions when your disgust is NOT JUSTIFIED by the facts or is NOT EFFECTIVE:

OPPOSI E AC IONS for Disgust

Do the OPPOSITE of your disgusted action urges. For example:

- 1. MOVE CLOSE. Eat, drink, stand near, or embrace what you found disgusting.
- 2. Be KIND to those you feel contempt for; step into the other person's shoes.

ALL- HE-WAY OPPOSI E AC IONS for Disgust

- 3. IMAGINE UNDERSTANDING and empathy for the person you feel disgust or contempt for.
ry to see the situation ffrom the other person's point of view.
magine really good reasons for how the other person is behaving or looking. T
- 4. TAKE IN what feels repulsive.
e sensual (inhaling, looking at, touching, listening, tasting).
- 5. CHANGE YOUR POSTURE.
nclench hands with palms up and fingers relaxed (willing hands). T
elax chest and stomach muscles.
nclench teeth.
elax facial muscles.
alf-smile. H
- 6. CHANGE YOUR BODY CHEMISTRY.
or example, do paced breathing by breathing in deeply and breathing out slowly.

(continued on next page) T

ENVY

Envy FITS THE FACTS of a situation whenever:

A. Another person or group has what you want or need but do 't have. n

B. Other example: _____

Follow these suggestions when your envy is NOT JUSTIFIED by the facts or is NOT EFFECTIVE:

OPPOSITE ACTIONS for Envy

Do the OPPOSITE of your previous actions/urges. For example:

- 1. INHIBIT DESTROYING what the other person has.
- 2. COUNT YOUR BLESSINGS. Make a list of the things you are thankful for. n

ALL-THE-WAY OPPOSITE ACTIONS for Envy

- 3. COUNT ALL your blessings.
 - void discounting some blessings.
 - void exaggerating your deprivations.
- 4. Stop EXAGGERATING others' net worth or value; check the facts.
- 5. CHANGE YOUR POSTURE. n
 - clench hands with palms up and fingers relaxed (WILLING HANDS).
 - relax chest and stomach muscles.
 - clench teeth.
 - relax facial muscles. rR
 - half-smile. H
- 6. CHANGE YOUR BODY CHEMISTRY.
 - for example, do paced breathing by breathing in deeply and breathing out slowly. n

(continued on next page) n

JEALOUSY

Jealousy FITS THE FACTS of a situation whenever:

- A.** Someone is threatening to take a very important and desired relationship or object away from you.
- B.** An important and desired relationship is in danger of being damaged or lost.
- C.** Other example: _____

Follow these suggestions when your jealousy is NOT JUSTIFIED by the facts or is NOT EFFECTIVE:

OPPOSITE ACTIONS for Jealousy

Do the OPPOSITE of your jealous action urges. For example:

- 1. LET GO of controlling others' actions.
- 2. SHARE the things and people you have in your life.

ALL-THE-WAY OPPOSITE ACTIONS for Jealousy

- 3. STOP SPYING or snooping.

suppress probing questions ("Where were you? Who were you with?").
Fire your "private detective."

- 4. NO AVOIDING. Listen to all the details. Focus on sensations.

keep your eyes open; look around.
take in all the information about the situation.

- 5. CHANGE YOUR POSTURE.

relax hands with palms up and fingers relaxed (WILLING HANDS).
relax chest and stomach muscles.
relax teeth.
relax facial muscles.
half-smile. H

- 6. CHANGE YOUR BODY CHEMISTRY.

for example, do paced breathing by breathing in deeply and breathing out slowly.

(continued on next page)

LOVE

Love (other than universal love for all) FITS THE FACTS of a situation whenever:

- A. Loving a person, animal, or object enhances quality of life for you or for those you care about.
- B. Loving a person, animal, or object increases your chances of attaining your own personal goals.
- C. Other example: _____

Follow these suggestions when your love is NOT JUSTIFIED by the facts or is NOT EFFECTIVE:

OPPOSITE ACTIONS for Love

Do the OPPOSITE of your loving action urges. For example:

- 1. AVOID the person, animal, or object you love.
- 2. DISTRACT yourself from thoughts of the person, animal, or object.
- 3. REMIND yourself of why love is not justified (rehearse the "cons" of loving) when loving thoughts do arise.

ALL-THE-WAY OPPOSITE ACTIONS for Love

- 4. AVOID CONTACT with everything that reminds you of a person you love: pictures, letters/messages/e-mails, belongings, mementos, places you were together, places you planned to go together, places where you know the person has been or will be. No following, waiting for, or looking for the person.
- 5. STOP EXPRESSING LOVE for the person, even to friends. Be unfriendly toward the person (e.g., "unfriend" the person on Facebook, Twitter, etc.).
- 6. ADJUST YOUR POSTURE AND EXPRESSIONS if you are around the person you love. o
 leaning toward him or her.
 No getting close enough to touch.
 No sighing/gazing at the person.

(continued on next page) o

SADNESS

address THE FACT of a situation whenever:

- A. You have lost something or someone permanently.
- B. Things are not the way you want or expected and hoped them to be.
- C. Other example: _____

Follow these suggestions when sadness is NOT JUSTIFIED by the facts or is NOT EFFECTIVE:

OPPOSITE ACTIONS for Sadness

Do the OPPOSITE of your sad action (or inaction) urges. For example:

- 1. Get ACTIVE; approach.
- 2. AVOID AVOIDING.
- 3. BUILD MASTERY: Do things that make you feel competent and self-confident.
(See Emotion Regulation Handout 19: Build Mastery and Cope Ahead.)
- 4. Increase PLEASANT EVENTS.

ALL-THE-WAY OPPOSITE ACTIONS for Sadness

- 5. Pay attention to the PRESENT MOMENT!
Be mindful of your environment—each detail as it unfolds.
Experience new or positive activities you are engaging in.
- 6. CHANGE YOUR POSTURE (adopt a “bright” body posture, with head up, eyes open, and shoulders back).
Keep an upbeat voice tone.
- 7. CHANGE YOUR BODY CHEMISTRY.
For example, increase physical movement (run, jog, walk, or do other active exercise).

(continued on next page)

SHAME

Shame FITS THE FACT of a situation whenever:

- A. You will be rejected by a person or group you care about if your personal characteristics or behavior are made public.
- B. Other example: _____

Follow these suggestions when *both* shame and guilt are NOT JUSTIFIED by the facts or are NOT EFFECTIVE:

OPPOSITE ACTIONS for Shame

Do the OPPOSITE of your action urges. For example:

- 1. MAKE PUBLIC your personal characteristics or your behavior (with people who won't reject you).
- 2. REPEAT the behavior that sets off shame over and over (without hiding the behavior from those who won't reject you).

ALL-THE-WAY OPPOSITE ACTIONS for Shame

- 3. NO APOLOGIZING or trying to make up for a perceived transgression.
- 4. TAKE IN all the information from the situation.
- 5. CHANGE YOUR BODY POSTURE. Look innocent and proud. Lift your head; "puff up" your chest; maintain eye contact. Keep your voice tone steady and clear.

Follow these suggestions when shame is NOT JUSTIFIED by the facts or is NOT EFFECTIVE, but *GUILT IS JUSTIFIED* (your behavior does violate your own moral values):

OPPOSITE ACTIONS for Shame

Do the OPPOSITE of your action urges. For example:

- 1. MAKE PUBLIC your behavior (with people who won't reject you).
- 2. APOLOGIZE for your behavior.
- 3. REPAIR the transgressions, or work to prevent or repair similar harm for others.
- 4. COMMIT to avoiding that mistake in the future.
- 5. ACCEPT the consequences gracefully.

ALL-THE-WAY OPPOSITE ACTIONS for Shame

- 6. FORGIVE yourself. Acknowledge the causes of your behavior.
- 7. LET IT GO.

(continued on next page)

GUILT

Guilt FITS THE FACTS of a situation whenever:

A. Your behavior violates your own values or moral code. *u*

B. Other example: _____

Follow these suggestions when *both* guilt and shame
are NOT JUSTIFIED by the facts or are NOT EFFECTIVE:

OPPOSITE ACTIONS for Guilt

Do the OPPOSITE of your action *u*rges. For example:

1. MAKE PUBLIC your personal characteristics or your behavior (with people who won't reject you).
2. REPEAT the behavior that sets off guilt over and over (without hiding the behavior from those who won't reject you).

ALL-THE-WAY OPPOSITE ACTIONS for Guilt

3. NO APOLOGIZING or trying to make up for a perceived transgression.
4. TAKE IN all the information from the situation.
5. CHANGE YOUR BODY POSTURE. Look innocent and proud. Lift your head; "puff up" your chest; maintain eye contact. Keep your voice tone steady and clear.

u

Follow these suggestions when guilt is NOT JUSTIFIED by the facts or is NOT EFFECTIVE
but SHAME IS JUSTIFIED (you will be rejected by people you care about if found out):

OPPOSITE ACTIONS for Guilt

1. HIDE your behavior (if you want to stay in the group).
2. USE INTERPERSONAL SKILLS (if you want to stay in the group).
3. WORK TO CHANGE the person's or group's values.
4. JOIN A NEW GROUP that fits your values (and will not reject you).
5. REPEAT the behavior that sets off guilt over and over with your new group.

ALL-THE-WAY OPPOSITE ACTIONS for Guilt

6. VALIDATE YOURSELF.